

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方式	转 速 rpm	序 号	流 量 m ³ /h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG70-760	D	2950	1	1591	7248	YB200L1-2	30	8-M22×500
			2	2228	7595			
			3	2865	7816			
			4	3502	7880	YB200L2-2	37	
			5	4138	7812			
			6	4775	7621			
			7	5412	7326			
WMJG135-760	D	2950	1	3832	7663	YB225M-2	45	8-M22×500
			2	4648	7746			
			3	5237	7819			
			4	6376	7824	YB250M-2	55	
			5	7586	7617			
			6	8835	7548			
			7	9159	7476			
WMJG110-820	D	2950	1	2675	8250	YB250M-2	55	8-M22×500
			2	3592	8288			
			3	4653	8608			
			4	5369	8644	YB280S-2	75	
			5	6328	8228			
			6	6942	7971			
			7	7499	7814			
			8	9202	7468			
WMJG135-620	D	2950	1	4295	6081	YB250M-2	55	8-M22×500
			2	5481	6182			
			3	6667	6348			
			4	7853	6411	YB280S-2	75	
			5	9039	6348			
			6	10225	6273			

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方式	转 速 rpm	序 号	流 量 m ³ /h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG190-550	D	2950	1	6592	5703	YB250M-2	55	8-M22×500
			2	7988	5786			
			3	9232	5755			
			4	10547	5654	YB280S-2	75	
			5	11654	5530			
			6	12950	5330			
			7	14304	5076			
WMJG260-440	D	2950	1	12200	4720	YB250M-2	55	8-M22×500
			2	13475	4682			
			3	14640	4590			
			4	15826	4473	YB280S-2	75	
			5	17000	4336			
			6	18180	4201			
			7	19360	4041			
WMJG400-570	D	2950	1	17580	6061	YB315S-2	110	8-M22×500
			2	19280	6012			
			3	20950	5890			
			4	22640	5742	YB315M-2	132	
			5	24330	5563			
			6	26000	5388			
			7	27700	5179			
WMJG280-610	D	2950	1	9210	6289	YB280S-2	75	10-M20×500
			2	11260	6369			
			3	13240	6335			
			4	15420	6224	YB280M-2	90	
			5	17180	6167			
			6	18460	5993			
			7	20350	5894			

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方 式	转 速 rpm	序 号	流 量 m³/h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG430-690	D	2950	1	18600	7402	YB315M-2	132	8-M22×500
			2	20300	7334			
			3	21940	7197			
			4	23780	7022			
			5	25680	6810	YB315L1-2	160	
			6	27500	6597			
			7	29800	6354			
WMJG550-690	D	2950	1	23400	7353	YB315L1-2	160	8-M22×500
			2	25660	7273			
			3	27880	7129			
			4	30130	6950			
			5	32390	6734	YB315L2-2	200	
			6	34600	6517			
			7	35200	6384			
WMJG210-850	D	2950	1	4813	9003	YB280S-2	75	8-M22×500
			2	6751	8818			
			3	9022	8926	YB280M-2	90	
			4	10943	8859			
			5	12644	8537	YB315S-2	110	
			6	14397	8070			
			7	15664	7631			
WMJG240-930	D	2950	1	6850	9253	YB315S-2	110	8-M22×500
			2	9240	9348			
			3	11200	9500			
			4	12560	9584			
			5	14350	9462	YB315M-2	132	
			6	15480	9310			
			7	17380	9196			

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方式	转 速 rpm	序 号	流 量 m³/h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG300-970	D	2950	1	10950	9443	YB315M-2	132	8-M22×500
			2	12200	9538			
			3	13450	9690			
			4	14700	9774			
			5	15950	9789	YB315L1-2	160	
			6	17200	9812			
			7	18460	9804			
			8	19710	9785			
			9	20960	9663			
			10	22200	9485			

(2) WMJG 型煤气加压离心鼓风机性能与选用件表

煤气温度 500℃

型 号	传 动 方 式	转 速 rpm	序 号	流 量 m ³ /h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG35-170	D	2900	1	1174	1749	YB112M-2	4	6-M16×400
			2	1394	1780			
			3	1616	1775			
			4	1839	1740			
			5	2062	1690			
			6	2281	1633			
			7	2504	1563			
WMJG50-200	D	2900	1	1610	2165	YB112M-2	4	6-M20×500
			2	1932	2192			
			3	2254	2181			
			4	2576	2143	YB132S1-2	5.5	
			5	2844	2096			
			6	3166	2023			
			7	3488	1930			
WMJG100-200	D	2900	1	4293	2293	YB160M1-2	11	6-M20×500
			2	4706	2274			
			3	5114	2230			
			4	5527	2176			
			5	5941	2110			
			6	6349	2045			
			7	6762	1968			
WMJG65-260	D	2900	1	2262	2729	YB132S2-2	7.5	6-M20×500
			2	2714	2764			
			3	3167	2750			
			4	3619	2701	YB160M1-2	11	
			5	3996	2643			
			6	4448	2549			
			7	4901	2432			

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方 式	转 速 rpm	序 号	流 量 m ³ /h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG140-260	D	2900	1	6032	2721	YB180M-2	22	8-M20×500
			2	6612	2867			
			3	7185	2812			
			4	7766	2743			
			5	8346	2660			
			6	8919	2577			
			7	9500	2478			
WMJG200-340	D	2950	1	8588	3685	YB200L2-2	37	8-M20×500
			2	9415	3654			
			3	10230	3583			
			4	11056	3494	YB225M-2	45	
			5	11883	3388			
			6	12699	3282			
			7	13552	3158			
WMJG100-340	D	2900	1	3220	3477	YB160M2-2	15	8-M20×500
			2	3865	3521			
			3	4509	3503			
			4	5153	3441	YB180M-2	22	
			5	5690	3366			
			6	6334	3246			
			7	6978	3096			
WMJG280-430	D	2950	1	12292	4722	YB250M-2	55	8-M20×500
			2	13475	4682			
			3	14643	4590			
			4	15826	4475	YB280S-2	75	
			5	17009	4338			
			6	18177	4201			
			7	19360	4041			

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方 式	转 速 rpm	序 号	流 量 m ³ /h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG35-460	D	2900	1	768	4359	YB132S2-2	7.5	8-M20×500
			2	1075	4568			
			3	1383	4701			
			4	1690	4739	YB160M1-2	11	
			5	1997	4698			
			6	2304	4583			
			7	2612	4406			
WMJG140-440	D	2900	1	4610	4452	YB200L1-2	30	8-M20×500
			2	5532	4510			
			3	6454	4487			
			4	7376	4406	YB200L2-2	37	
			5	8144	4309			
			6	9066	4155			
			7	9988	3962			
WMJG90-520	D	2950	1	2580	5600	YB200L1-2	30	8-M20×500
			2	3355	5535			
			3	3988	5387			
			4	4077	5257			
			5	5410	5199			
			6	5870	4933			
			7	6243	4920			
WMJG140-530	D	2950	1	5538	5697	YB225M-2	45	8-M20×500
			2	6471	5625			
			3	7233	5452			
			4	7930	5226			
			5	8716	4978			
			6	8451	4767			
			7	10140	4466			

WMJG 型煤气加压离心鼓风机性能与选用件表

型 号	传 动 方 式	转 速 rpm	序 号	流 量 m ³ /h	全 压 pa	电 动 机		地 脚 螺 栓
						型 号	功 率 kw	
WMJG240-500	D	2950	1	9495	5578	YB250M-2	55	8-M20×500
			2	10680	5502			
			3	12705	5282			
			4	12869	5031			
			5	13955	4720			
			6	14996	4422			
			7	16318	4134			
WMJG50-600	D	2950	1	1110	5649	YB160M2-2	15	6-M16×400
			2	1554	5920			
			3	1998	6093			
			4	2442	6142	YB180M-2	22	
			5	2887	6089			
			6	3331	5940			
			7	3775	5710			
WMJG60-690	D	2950	1	1341	6465	YB180M-2	22	8-M20×500
			2	1877	6775			
			3	2414	6972			
			4	2950	7028	YB200L1-2	30	
			5	3487	6968			
			6	4023	6797			
			7	4560	6534			
WMJG100-630	D	2950	1	2996	6162	YB200L2-2	37	8-M22×500
			2	3824	6281			
			3	4651	6434			
			4	5478	6496	YB225M-2	45	
			5	6306	6434			
			6	7133	6357			
			7	7960	6162			